

NEW! CWR, 5 STAGE REVERSE OSMOSIS SYSTEM

The CWR Reverse Osmosis system has several unique features including a T.F.C. membrane, which remove more contaminants than other water treatment systems. For high quality, pure, great tasting drinking water.



OPTIONAL

Model #: POU-ROWP5



Designed for consumers who demand the best!

- ◆ EVERY SYSTEM IS FACTORY TESTED FOR PRESSURE, LEAKS AND SHUT-OFF.
- ◆ SINGLE PIECE MANIFOLD ELIMINATES MANY HOSE CONNECTIONS FOR GREATER FLOW
- ◆ TOUCH-FLO® AIR GAP FAUCETS ARE LEAD-FREE
- ◆ ENTIRE SYSTEMS ARE NSF CERTIFIED (*including Nitrate/Nitrite reduction*).
- ◆ EASY INSTALLATION AND MAINTENANCE
- ◆ 4.0 GALLON METAL STORAGE TANK
- ◆ OPTIONAL SLIM LINE ALSO AVAILABLE
- ◆ EASY CONNECT FITTINGS
- ◆ 40-80 PSI OPERATION PRESSURE- PSI > 80 REQUIRES PRESSURE REGULATOR
- ◆ 40-100 °F OPERATING TEMPERATURE
- ◆ DOUBLE O-RING DESIGN HOUSING
- ◆ SHIPPING WEIGHT: 21 LBS.
- ◆ UNIT DIMENSIONS: 5" D X 16" H X 16" W
- ◆ TANK DIMENSIONS: 17" H X 11" W
- ◆ 1 YEAR WARRANTY

-
- STAGE 1:** 5 Micron Sediment
 - STAGE 2:** 5 Micron Carbon Block
 - STAGE 3:** 5 Micron Carbon Block
 - STAGE 4:** 50 GPD TFC Membrane
 - STAGE 5:** Polisher 10" inline Coconut Shell Carbon

* An Ultraviolet upgrade can be added.

PARTIAL LIST OF CONTAMINANTS REDUCED

Thin Film Composite Membrane

ION	% REDUCED
Calcium	93-98
Sodium	92-98
Magnesium	93-98
Potassium	92-96
Manganese	96-98
Iron	96-98
Aluminum	96-98
Copper	96-98
Cadmium	93-97
Silver	93-96
Mercury	94-97
Chloride	92-95
Ammonium	80-90
Bromide	90-95
Cyanide	85-95
Sulfate	96-98
Nitrate	90-95
Borate	30-50
Fluoride	92-95
Chromate	85-95
Lead	95-98
Hardness Ca & Mg	93-97
Radioactivity	93-97
Polyphosphate	96-98
Orthophosphate	96-98
Silica	80-90
Boron	50-70

The above percent of rejection is for reference only. The actual rejection will depend heavily on the exact chemistry, temperature and TDS content of the feed water.

REVERSE OSMOSIS SYSTEMS