

MODEL #: Q3I-RHSTT

**RadarsHAWK™**  
**SpeedTrap™**  
**TRACKER**   
**USER'S GUIDE**



**Q3 Innovations, LLC**

2349 Jamestown Ave., Suite #4, Independence, IA 50644

T: (888) 399-1687 F: (319) 334-3421 [www.q3i.com](http://www.q3i.com)

## INTRODUCTION

Thank you for purchasing the SPEEDTRAP TRACKER™ distributed by Q3 Innovations.

The SPEEDTRAP TRACKER is specifically designed to help you find sneaky speed traps before they spot you. It has a powerful new detection sensor that spots upcoming speed traps up to 2 miles away. And unlike vehicle radar detectors, it doesn't take an engineering degree to install or operate.

This Guide provides all the information you need for putting the SPEEDTRAP TRACKER to work for you. For SPEEDTRAP TRACKER technical specifications or downloads of the most recent version of this Guide, visit [www.q3i.com](http://www.q3i.com).


**How to Use the Guide:** > = An action to be taken  
○ = Additional information about the topic

## WHAT'S INCLUDED



**SPEEDTRAP TRACKER**

**Mounting Magnet**



**Non-Slip Pad**







**2 AA  
Alkaline Batteries**

If you are missing any of these items, please call 1-888-399-1687 and we will ship them to you immediately.

© Copyright 2007. All rights reserved. SPEEDTRAP TRACKER and RADARHAWK are trademarks of Q3 Innovations.

## CONTROLS AT A GLANCE



\* 12 VOLT POWER CORD is available separately, please go to [www.q3i.com](http://www.q3i.com) or call 888-399-1687 to order.

### RADARHAWK™ SPEEDTRAP TRACKER - RHSTT

FCC ID: QJ3-12565


This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

In addition, any changes or modifications to this product, which are not expressly approved by Q3 Innovations, LLC in writing, could void the user's authority to operate this product.

## INSTRUCTIONS

### 1. INSERT THE BATTERIES. Use AA alkaline batteries to power your SPEEDTRAP TRACKER:

- > (Fig. 1, Steps 1 & 2) Slide open the battery door on the back of the SPEEDTRAP TRACKER.
- > (Fig. 1, Step 3) Insert two fresh AA alkaline batteries, noting the correct polarity.




- > Slide the battery door and shut tight.


### 2. MOUNT ON YOUR DASHBOARD

The SPEEDTRAP TRACKER is designed to be mounted on your dashboard with the Non-Slip Pad and Mounting Magnet provided.

- > Clean a spot on your dashboard that will allow easy viewing of both the SPEEDTRAP TRACKER screen and the road.
- > Place the Non-Slip Pad on your dashboard.
- > Attach the SPEEDTRAP TRACKER to the magnet.



For best performance, the back of the SPEEDTRAP TRACKER should have a clear view of the road ahead, and be level to the ground.



Notice: UV rays may cause your dashboard to naturally fade or discolor over time, therefore we recommend you move your SPEEDTRAP TRACKER on a regular basis to prevent this discoloration. In rare cases, the Non-Slip Pad may cause discoloration to some dashboard materials. Check with your auto manufacturer.

### 3. POWER UP.

- > Press the POWER button to turn the SPEEDTRAP TRACKER on and off.

- > The green POWER icon will blink on the screen when the SPEEDTRAP TRACKER is on.



#### 4. SPEED TRAP ALERT SIGNAL.

- > When a speed trap is spotted, the red ALERT icon will display on the screen, and a loud audio tone will sound.



- > After the loud audio tone sounds for 5 seconds, it will automatically decrease in volume.
- > To mute the audio tone, press and hold the POWER button for two seconds.
- > Once the speed alert is no longer detected by the SPEEDTRAP TRACKER, both the ALERT icon and audio tone will disappear.

#### 5. AUTOMATIC SHUT-OFF

The SPEEDTRAP TRACKER has an AUTOMATIC SHUT-OFF designed to prolong battery life, if the SPEEDTRAP TRACKER is accidentally left on.

- > If no speed trap has been detected for 60 minutes, the SPEEDTRAP TRACKER will give you a loud audio tone and the POWER icon will blink.
- > Press the POWER button to keep the SPEEDTRAP TRACKER on.

#### 6. REMOVE FROM YOUR DASHBOARD

The SPEEDTRAP TRACKER is designed to be easily removed from your dashboard

- > Grasp the SPEEDTRAP TRACKER and lift it straight up. The Non-Slip Pad with the Mounting Magnet will remain attached to your dashboard.

- > To reinstall the SPEEDTRAP TRACKER, place it on the Mounting Magnet.
- > If your Non-Slip Pad becomes dirty and no longer adheres to your dashboard or SPEEDTRAP TRACKER, clean it with mild soap and water to renew the "grip."

#### 7. MONITORING YOUR BATTERY POWER.

The SPEEDTRAP TRACKER includes a LOW BATTERY icon on the display screen.



- o The yellow LOW BATTERY icon will light up when approximately 2 hours of battery life remain.
- o The icon will flash for 10 seconds, accompanied by several loud audio warnings.
- o This will repeat every half-hour until no battery power remains and the SPEEDTRAP TRACKER shuts off.

#### 8. CHANGING BATTERIES

The battery life for the AA alkaline batteries provided in the package is approximately 30-40 hours, based on the average number of alerts. To prolong battery life:

- o Never use AA rechargeable batteries as they tend to have a shorter battery life.
- o Do not mix old and new batteries.
- o TURN OFF the SPEEDTRAP TRACKER whenever you leave your vehicle. Even a weak speed trap alert can cause the SPEEDTRAP TRACKER to remain on and drain your batteries.

## TROUBLESHOOTING

Your SPEEDTRAP TRACKER is designed to provide consistent and reliable service. If you experience any problems, please refer to this section for assistance.

1. My SPEEDTRAP TRACKER does not power up when it's operating on battery power.

- Check the batteries and replace them if necessary.

2. The SPEEDTRAP TRACKER did not alert when passing a police officer.

- Check your batteries to make sure your SPEEDTRAP TRACKER is receiving power.
- Note that not all police officers are equipped with speed tracking equipment, or their device may not have been in use at that time.

3. The SPEEDTRAP TRACKER does not alert early enough.

- Make sure the SPEEDTRAP TRACKER is level to the road.
- Make sure the SPEEDTRAP TRACKER back window is not obstructed. Move the SPEEDTRAP TRACKER if necessary.

## SERVICE & REPLACEMENT

If you wish to return your SPEEDTRAP TRACKER directly to Q3 Innovations, contact us between 9:00 a.m. and 5:00 p.m. (CST) Monday through Friday at the following phone numbers or email address. We'll give you instructions for returning your SPEEDTRAP TRACKER for repair or replacement.

Phone: (888) 399-1687  
Fax: 319) 334-3421  
Email: [service@q3i.com](mailto:service@q3i.com)

## WARRANTY INFORMATION

LIMITED WARRANTIES; LIMITATION OF LIABILITY

FOR RADARHAWK™ RADAR/LASER DETECTOR  
Model: RadarHAWK™ SPEEDTRAP TRACKER

Q3i Innovations ("Q3i") manufactures its products from parts and components that are new or equivalent to new in performance, and warrants to the original user that this product will be free of defects in workmanship and materials for one (1) year from the date of purchase.

This warranty does not cover wear and tear due to normal use, or damage to the product as the result of improper usage, neglect of care, alteration, accident, or unauthorized repair.

If the product is found by Q3i to be defective, Q3i's entire liability and your exclusive remedy for breach of warranty shall be that Q3i will repair or replace the product and return the product or its replacement to you at no charge, provided that you ship the product to Q3i at your expense with a description of the defect and subject to the other conditions of this warranty. Should the product prove to be irreparable, Q3i may substitute an equivalent product of the same or similar style and of a value not in excess of the original purchase price of your instrument.

Q3i warrants the repaired or replacement product to be free from defects in material and workmanship on the same terms as the product originally purchased.

This warranty will be void if the products, serial number, or other identification marks have been defaced, damaged, or removed. This warranty does not apply to the battery necessary to operate the product.

This warranty is extended to the original retail purchaser only and may not be transferred or assigned to subsequent owners. In order to validate your warranty, you must provide proof of purchase acceptable to Q3i together with the product shipped for warranty repair/replacement.

Products returned to Q3i must be pre-authorized by Q3i with an RMA (return material authorization) number marked on the outside of the package. Please refer to the Service and Replacement section for Q3 Innovations contact information.

THE FOREGOING WARRANTY IS GIVEN IN LIEU OF AND Q3i DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESSED OR IMPLIED, IN FACT OR IN LAW, WITH RESPECT TO THIS PRODUCT, INCLUDING, BUT NOT LIMITED TO, (1) THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, OR (2) THAT USE OF THE PRODUCT WILL BE UNINTERRUPTED AND ERROR FREE.

Q3i shall have no liability for any indirect or speculative damages (including, but not limited to, consequential, incidental, and special damages) relating to the use of or inability to use this product, whether arising out of contract, negligence, tort, or under any warranty theory, or for infringement of any other party's intellectual property rights, irrespective of whether Q3i had advance notice of the possibility of any such damages, including, but not limited to, loss of use, revenue, or profit. In no event shall Q3i's total liability for all claims regarding the product exceed the price paid for the product. Q3i neither assumes nor authorizes anyone to assume for it any other liabilities. Q3i shall have no liability in the event the user receives a speeding ticket violation while using this product.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.